ANAGLYPTA



HIGH RELIEF MOULDINGS w.h.s.LLOYD co., INC.



W.H.S. LLOYD CO., INC.

425 East 53rd Street New York 22, N.Y.

171 East 56th Street New York 22, N.Y.

720 North Franklin St. (Office)

6-136 Merchandise Mart (Showroom) Chicago, Illinois

420 Boylston St. Boston, Mass.

Thorp-Lloyd 1616 Walnut St. Philadelphia, Pa.

J. H. Thorp 131 No. Robertson Blvd. Los Angeles, Calif.

J. H. Thorp 501 Pacific Ave. San Francisco, Calif.



W. H. S. LLOYD CO., INC.

425 East 53rd Street New York 22, N.Y.

171 East 56th Street New York 22, N.Y.

720 North Franklin St. (Office)

6-136 Merchandise Mart (Showroom) Chicago, Illinois

420 Boylston St. Boston, Mass.

Thorp-Lloyd 1616 Walnut St. Philadelphia, Pa.

J. H. Thorp 131 No. Robertson Blvd. Los Angeles, Calif.

J. H. Thorp 501 Pacific Ave. San Francisco, Calif.

WHAT IS ANAGLYPTA?


Anaglypta is a method of reproducing, at low cost, carvings and mouldings which, previously, could only be manufactured at great expense by means of plaster.

These ornamentations are made from liquefied rag stock which is poured into a form and moulded under pressure—they are not pressed into shape.

Anaglypta is therefore light in weight, yet has the advantage that it will not crack or chip.

HOW TO APPLY ANAGLYPTA


- 1. Prepare wall or ceiling—surface should be clean and smooth so all edges of the material can adhere.
- 2. Mark location where Anaglypta will be applied.
- 3. When required, cut pieces to proper size.
- 4. Apply a very stiff adhesive, such as a heavy vinyl adhesive or rubber cement, to the edges of the Anaglypta and those parts which will be in contact with the surface.
- 5. A few brads or small nails can be used to hold the material in place while adhesive dries.
- 6. After adhesive is thoroughly dry, remove brads and use a little spackle to cover any holes, seams or joints.
- 7. Finish as desired. Anaglypta is sized ready for finishing and can be painted or gilded to resemble wood, plaster or stone.



ANAGLYPTA CEILING CENTRES




759 23½" dia.



807 17" dia.



596B 34¾" dia.




871 47" x 36"




CEILING TREATMENT

The intricate centre-piece of this ceiling lay-out can be applied with ease as it is made up from only two semi-elliptical panels of Anaglypta.


> 6'3" x 4'0" 789 Centre Piece 789A 411/2" x 5" Moulding 6" dia. Corner discs 1103B





GEORGIAN CEILING

A realistic reproduction of a Georgian ceiling can be made with these pieces.






Design No. 1241 31½" x 31½"


SUPERGLYPTA


These easy-to-apply wall panels in extra deep relief are especially suited for use in commercial installations.



Design No. 1240 27½" x 27½"







SEA-WASHED

Pebbles standing out in inchhigh relief create a sea-shore effect. Easy to apply and available in panels approximately 42" x 30" overall, shaped

DECORATE THIS EXCITING NEW WAY WITH STONE EFFECTS



CASTLE STONE

Design No.1238

Rugged texture and brick motif blend to create a highly authentic stone effect. The panels, shaped to interlock, measure approximately 36" x 21" overall.



Relief Decorations bring outdoor stone effects to you in a striking range of wall coverings. Standing out in sharp relief, these attractive decorations are amazingly realistic and add interest and excitement to any home. They provide an original and pleasing background to modern or traditional furnishings. Supplied in panels, they are hardwearing and very easy to fix.






1026A Capital 13" x 121/2"

1026 Fluted Pillar 71" x 7"

Pillar 1026 can be cut to any size, or two lengths can be joined together to give any desired height. 1057 is primarily intended as a ceiling panel—however it can be used as a door or wall panel as shown in this photograph of the Thorp-Lloyd display designed by Stanley Glass for the A.I.D. Decoration & Design Show.



1057 24½" square




693C 15" square




1026E Base 113/4" x 61/2"





ANAGLYPTA MOULDINGS



Combination of 811A, 811B with moulding 811

1063 13½" x 8¾"

1005A 93/8" x 73/4"







A.











A. 811 523/4" x 21/4" B. 789A 411/2" x 5"

C. **806** 63" x 31/4" D. **593** 53" x 51/2"

E. 811C 6" radius

Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA

W.H.S.LLOYD CO., INC.